

**SHEET NUMBER 28061 RADIAL DRILL
SIZE 4/5 COMPLETE WITH EXTENSIVE
RANGE OF DRILLS.**



CORPORATE MACHINERY BROKERS

PO BOX 1043 KENSINGTON GARDENS S.A. 5068

TEL. 042 8832 423

TEL.08-84310430

E. marketing@machineryshowroom.net

WEB. www.machineryshowroom.net

ADD GST TO ALL PRICES

ALL SALES ARE SUBJECT TO OUR ANNEXURE 'A' CONDITIONS OF SALE.

Head Swivel	Vertical fine adjustment manual
clamping of Ram	Vertical Hand Traverse
Feed Change	Horizontal fine Adjustment
Bridge Lube Pump	Horizontal Hand Movement
Main Drive Inching Speed Change Stop/Start	L.H. Cross Rail Head
Rapid Traverse Feed	Release Clamp Raise Lower
Cross Rail Traverse Raise / Lower	Tracer Control Panel
Manual Clamping of Slide	Clamping of Ram
Swivelling of Head	Vertical Fine adjustment
Clamping of Ram [manual]	Horizontal Fine Adjustment
Vertical Hand Traverse	Feed Change
Horizontal Hand Movement	Main Drive Inching Speed
Change Stop/ Start	RH Cross-Rail Head Rapid
Traverse Feed.	Side Head Rapid Traverse Feed.
Manual Clamping of Slide	Feed Change
Horizontal Hand Movement	Vertical Hand Movement
Oil Flow Indicator	Setting of Table Speed.

28058 K Rafamet Vertical Borer 55,000

**Table Diameter 3100 mm. Double Heads
w/- Guards.**

Includes	Left and Right hand Heads
Feed Box,Bridge,	Table,
Pendant control,	Mort,
Speed change Valves,	Oil Pumps,
Lube Control Oil Filters,	Speed change control.

**28059 K Horizontal Press-Hydraulic w/-
 Large Frame Structure. 5000**

**28061 K Radial Drill w/-Extensive Range of
Drills Model Z35. Including Work Bench.**

Max drilling Diameter of steel for steel of 52 to 60 kg/sq mm strength.

Max distance from centre column to spindle 1600mm. minimum 450mm.

Range of spindle speeds 34-1700 RPM

No of Feeds 18.

Spindle travel 350mm.

Power of main drive motor 4.5 KW

Machine weight 4300 Kg 4,500

28062/7/8/9 K Heavy Duty Yamazaki Lathe

1500mm Between Centres, 400 mm Swing

Radius Digital Read Out. W/- Guard.

3/4 Jaw Chucks. Face Plate. 12500

28063 K Welder Lincoln TM300 Ideal Arc 350

28064 J Double ended Pedestal Grinder

180 and 150 mm Diameter Wheels w/- Guards 320

28065 500

28060 K Horizontal Borer Brand Servian w/-

Electronic Guard. Table Size Width 1200mm x

Length 106 MM. Speed Ranges Three.

Number of Speeds 2-1000 RPM 11500

28071 J Double Ended Counter Grinder 35

28085 G Single Room Transportable 5000